



CLESCRANE

Address: Room 902, Building 6, No. 26 Dongqing Street, Zhengzhou, Henan, P.R.China; P.C.: 450000

Tel: +86-371-5532 8269 Ext.1002 Email: inquiry@clescrane.com Website: www.clescrane.com

Clescrane retains the rights to change on product design and specs. at any time.

When purchase and delivery, subject to our actual products.



Application

CB series standardized end carriages are mainly adapted to CHS and CHD bridge cranes.






Product Features

End carriage includes:

The end carriage includes: wheels, motor, buffers, support of bus bar, flange plate and bolts to be connected with main girder.





42CrMo alloy forged wheels, wear-resistant impact, and bearing standards using China LYC and HRB bearings, high performance, and long life. If you want SKF or FAG brand bearings, we can supply.



End carriage drive power smaller than 2 * 1.1KW, our standard configuration is CLES drive producted by ourselves. End carriage drive power equals or bigger than 2 * 1.1KW, our standard configuration is F series gear motor of SEW.

F series reducer, hollow shaft drive, high work level, wide range of speed regulation, which is the world trend.

End carriage is made of rectangular tube, completely opened, bored, milled and drilled with CNC boring milling machine. The processing is precise and the he low ally steel structure provides high strength and malleability.

High precision Stable operation Easy assembly Easy to maintain



Product Type

End Carriage for Overhead Crane V=32m/min			
M . 1 . 1	Application	SEW	
Model	Application	Mode	Power (Kw)
CBS1210	CHS5-7.5m		
CBS1214	CHS5-10.5m		
CBS1218	CHS3.2-13.5m		
CBS1222	CHS3.2-16.5m		
CBS1227	CHS3.2-19.5m		
CBS1231	CHS3.2-22.5m		
CBS1610	CHS8-7.5m	FA37DRS80S4	0.75
CBS1614	CHS8-9m		
CBS1618	CHS6.3-13.5m		
CBS1622	CHS5-16.5m		
CBS1627	CHS5-19.5m		
CBS1631	CHS5-22.5m		
CBD1622	CHD5-13.5m	FA37DRS71M4	0.55
CBD1627	CHD5-18.5m	FA37DRS80S4	0.75
CBD1631	CHD5-21.5m		
CBD1638	CHD5-22.5m		
CBS2010	CHS12.5-7.5m	FA47DRS80M4	1.1
CBS2014	CHS12.5-10.5m		
CBS2018	CHS12.5-13.5m		
CBS2022	CHS12.5-16.5m		
CBS2027	CHS12.5-19.5m		
CBS2031	CHS12.5-21.5m	FA57DRS90M4	1.5
CBS2038	CHS12.5-24m		

CHD10-18.5m		
CHD10-21.5m	FA47DRS80M4	1.1
CHD6.3-26.5m		
CHD10-26.5m	FA47DRS90M4	1.5
CHD32-15.5m		
CHD32-22.5m	FA67DRS100M4	3
CHD25-33.5m		
CHD25-34.5m	FA67DRS90L4	2.2
CHD25-18.5m		
CHD25-22.5m		
CHD20-26.5m		
CHD16-31.5m		
CHD40-13.5m	FA67DRS100M4	3
CHD40-22.5m		
CHD40-25.5m	FA77DRS132S4	4
CHD40-29.5m		
CHD40-34.5m		
CHD32-18.5m	FA67DRS90L4	2.2
CHD32-22.5m		
CHD25-26.5m		
CHD25-29.5m		
CHD50-13.5m	FA77DRS100M4	3
CHD50-22.5m		
CHD50-28.5m	E4770E2	
CHD50-34.5m	FA77DRS112M4	4
ower < 2 * 1.1KW, our is CLES customized ower ≥ 2 * 1.1KW, our is F series gear motor of we can according to p with protection IP65 F driving device.	Product code: CB S 12 10 Wheelbase Wheel Diameter S: Single Girder D: Double Girder	
	CHD10-21.5m CHD6.3-26.5m CHD10-26.5m CHD32-15.5m CHD32-22.5m CHD25-33.5m CHD25-34.5m CHD25-18.5m CHD25-22.5m CHD20-26.5m CHD40-13.5m CHD40-22.5m CHD40-25.5m CHD40-29.5m CHD40-34.5m CHD32-18.5m CHD32-18.5m CHD32-22.5m CHD32-22.5m CHD50-13.5m CHD50-23.5m CHD50-23.5m CHD50-34.5m	CHD10-21.5m CHD6.3-26.5m CHD10-26.5m CHD32-15.5m CHD32-22.5m CHD25-33.5m CHD25-34.5m CHD25-22.5m CHD26-31.5m CHD40-13.5m CHD40-25.5m CHD40-25.5m CHD40-25.5m CHD40-25.5m CHD40-25.5m CHD40-25.5m CHD40-25.5m CHD40-25.5m CHD50-25.5m CHD


05/



With the target of "technology–driven, quality seize the market", Clescrane was established as a systems engineering company in the field of material handling in the year of 2012. Our services cover a wide range of industries, which includes manufacturing industry, processing industry, energy regeneration and so on.

We have been working with the international well-known electrical companies in order to look for cooperation of intelligence hoisting machinery equipment. At the same time, our technical engineers are constantly providing customized designs to meet our customers' needs. Our equipment supervision team ensures the best quality of equipment for our customers. Our professional technical service team will provide zero-distance service to our customers. Clescrane is just on your side to help enhance your business and get sustainable development.

Technology is Clescrane survival principle, quality is the basic foundation of Clescrane survival. Depending on our own technology strength and supervision team, Clescrane has the professional sub-contractor who can provide us the good quality crane parts and control the whole cost in the competitive level. Clescrane intends to create an innovative lifting equipment export service companies and provide customers with the best solution and high-quality manufacturing products. With spirit of "customer first" business philosophy, Clescrane strategic objectives are not for the short-term interests instead of sacrificing the future. Clescrane people will wholeheartedly provide dedicated service for worldwide customers. When you choose Clescrane, you also increase security and efficiency for your business development at the same time.











SERVICE

Our service solutions are specially made based on different requirements of individual clients.

Meeting their standards could remove any of their worries. Including:

- Customized solutions
- Reliable, efficient and safe crane equipment
- High quality packaging
- Installation and Assembly &Test running
- Professional training
- Plenty of spare parts
- Maintenance
- Analysis and Suggestions
- Intelligent crane design software
- The experienced team of engineers

 Clescrane's service pack is safe and costs less.

Clescrane's service pack also applies to cranes and hoists produced by other manufacturers.